

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|---|------|-----|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|-------------------------|
| 1 | BRS | L13 | 0 | ("6606911").URPN. | USPAT | 2004/1 1/09 14:33 |
| 2 | BRS | L14 | 2 | ("4495820" "5616844").PN. | US- PGPUB ; USPAT ; USOCR | 2004/1 1/09 14:34 |
| 3 | BRS | L15 | 156 | (pressure adj sens\$3) same (pneumatic adj tire) | US- PGPUB ; USPAT ; USOCR | 2004/1 1/09 14:35 |
| 4 | BRS | L16 | 38 | L15 and (capacit\$4 with (pressure deform\$4)) | US- PGPUB ; USPAT ; USOCR | 2004/1 1/09 14:35 |
| 5 | BRS | L17 | 24 | L16 and "73"/\$.ccls. | US- PGPUB ; USPAT ; USOCR | 2004/1 1/09 14:35 |
| 6 | BRS | L18 | 8 | L17 and elastomer\$3 | US- PGPUB ; USPAT ; USOCR | 2004/1 1/09 14:36 |
| 7 | BRS | L19 | 28 | ("3596509" "3893228" "4126772" "4317216" "4335283" "4567459" "4578992" "4695823" "4701826" "4703650" "4893110" "4909074" "4966034" "5054315" "5140851" "5228337" "5230243" "5231872" "5285189" "5297424" "5451959" "5528452" "5540092" "5562787" "5581023" "5661651" "5706565" "5731754").PN. | US- PGPUB ; USPAT ; USOCR | 2004/1 1/09 14:37 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|-------------------------|
| 8 | BRS | L20 | 28 | ("3596509" "3893228" "4126772" "4317216" "4335283" "4567459" "4578992" "4695823" "4701826" "4703650" "4893110" "4909074" "4966034" "5054315" "5140851" "5228337" "5230243" "5231872" "5285189" "5297424" "5451959" "5528452" "5540092" "5562787" "5581023" "5661651" "5706565" "5731754") .PN. | US- PGPUB ; USPAT ; USOCR | 2004/1 1/09 15:07 |
| 9 | BRS | L21 | 0 | 20 and interdigitized | US- PGPUB ; USPAT ; USOCR | 2004/1 1/09 15:08 |
| 10 | BRS | L22 | 0 | 13 and interdigitized | US- PGPUB ; USPAT ; USOCR | 2004/1 1/09 15:34 |
| 11 | BRS | L23 | 419 | (pressure adj sens\$3) and (pneumatic adj tire) | US- PGPUB ; USPAT ; USOCR | 2004/1 1/09 15:08 |
| 12 | BRS | L24 | 0 | L23 and interdigitized | US- PGPUB ; USPAT ; USOCR | 2004/1 1/09 15:08 |
| 13 | BRS | L25 | 2 | 324/658-690.ccls. and (interdigitized) | US- PGPUB ; USPAT ; USOCR | 2004/1 1/09 15:10 |

| | | | | | | |
|----|-----|-----|---|-------------------------------------------------------|------------------------------------------|-------------------------|
| 14 | BRS | L26 | 2 | "324"/\$.ccls. and (interdigitized adj electrodes) | US- PGPUB ; USPAT ; USOCR | 2004/1 1/09 15:11 |
|----|-----|-----|---|-------------------------------------------------------|------------------------------------------|-------------------------|

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|----------------------------------------------------------------------------|------------------------------------------------------------------------------|-------------------------|
| 15 | BRS | L27 | 0 | (pressure adj sens\$3) and (interdigitized near2 (electrode comb)) | US- PGPUB ; USPAT ; USOCR | 2004/1 1/09 15:12 |
| 16 | BRS | L28 | 1 | (pressure near3 sens\$3) and (interdigitized near2 (electrode comb)) | US- PGPUB ; USPAT ; USOCR | 2004/1 1/09 15:12 |
| 17 | BRS | L29 | 2 | (pressure near3 sens\$3) and (interdigitized near2 (electrode comb)) | US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT | 2004/1 1/09 15:13 |
| 18 | BRS | L30 | 4 | (pressure near3 sens\$3) and (interdigitized with (electrode comb)) | US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT | 2004/1 1/09 15:14 |
| 19 | BRS | L31 | 164 | (pressure near3 sens\$3) and (electrode near3 comb) | US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT | 2004/1 1/09 15:15 |

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|-------------------------|
| 20 | BRS | L32 | 15 | (pressure near3 sens\$3) with (electrode near3 comb) | US- PGPUB ; USPAT ; USOCR ; EPO; JPO; DERWE NT | 2004/1 1/09 15:15 |
| 21 | BRS | L33 | 20 | (US-20030008692-\$).did. or (US- 3565195-\$ or US-3678378-\$ or US- 3782486-\$ or US-3875481-\$ or US- 3966002-\$ or US-4102422-\$ or US- 4266263-\$ or US-4370697-\$ or US- 4495820-\$ or US-5486768-\$ or US- 5569848-\$ or US-5731516-\$ or US- 6369712-\$ or US-6486776-\$ or US- 6543279-\$ or US-6606911-\$ or US- 6658928-\$ or US-5731754-\$).did. or (US-2689309-\$).did. | US- PGPUB ; USPAT ; USOCR | 2004/1 1/09 15:18 |
| 22 | BRS | L34 | 2 | ((interdigitized near3 electrodes) with (advantage benefit)) | US- PGPUB ; USPAT ; USOCR | 2004/1 1/09 15:35 |
| 23 | BRS | L36 | 139 | (elastomeric adj joint) | USPAT | 2004/1 1/09 16:36 |
| 24 | BRS | L37 | 2 | 36 with deformation | USPAT | 2004/1 1/09 16:39 |
| 25 | BRS | L38 | 10 | (elastomeric adj joint).ti. | USPAT | 2004/1 1/09 16:36 |
| 26 | BRS | L39 | 63 | 267/189.ccls. | USPAT | 2004/1 1/09 16:39 |
| 27 | BRS | L40 | 0 | 39 and (deform\$4 with sens\$3) | USPAT | 2004/1 1/09 16:40 |
| 28 | BRS | L41 | 2 | 39 and sens\$3 | USPAT | 2004/1 1/09 16:41 |

| | | | | | | |
|----|-----|-----|---|---------------|-------|-------------------------|
| 29 | BRS | L42 | 0 | 39 and sensor | USPAT | 2004/1 1/09 16:41 |
|----|-----|-----|---|---------------|-------|-------------------------|

| | Type | L # | Hits | Search Text | DBs | Time Stamp |
|----|------|-----|------|-------------------------|-------|-------------------------|
| 30 | BRS | L43 | 0 | 36 with sensor | USPAT | 2004/1 1/09 16:42 |
| 31 | BRS | L44 | 0 | 36 with sensing | USPAT | 2004/1 1/09 16:42 |
| 32 | BRS | L45 | 19 | 36 and (sensor sensing) | USPAT | 2004/1 1/09 16:59 |
| 33 | BRS | L46 | 482 | 73/146.5.ccls. | USPAT | 2004/1 1/09 17:00 |
| 34 | BRS | L47 | 482 | 73/146.5.ccls. | USPAT | 2004/1 1/09 17:00 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|---|------|------|----------------------|----------------------------------------------------------|-------------------------|
| 1 | BRS | 1 | ("4102422").PN. | USPAT | 2004/1 1/09 09:06 |
| 2 | BRS | 2 | de-3503805-\$.did. | US- PGPUB; USPAT; USOCR; EPO; DERWEN T | 2004/1 1/08 17:51 |
| 3 | BRS | 0 | de-801864-\$.did. | US- PGPUB; USPAT; USOCR; EPO; DERWEN T | 2004/1 1/08 17:51 |
| 4 | BRS | 0 | ep-756162A2-\$.did. | US- PGPUB; USPAT; USOCR; EPO; DERWEN T | 2004/1 1/08 17:52 |
| 5 | BRS | 0 | ep-0756162A2-\$.did. | US- PGPUB; USPAT; USOCR; EPO; DERWEN T | 2004/1 1/08 17:52 |
| 6 | BRS | 0 | ep-0756162-\$.did. | US- PGPUB; USPAT; USOCR; EPO; DERWEN T | 2004/1 1/08 17:52 |
| 7 | BRS | 2 | ep-756162-\$.did. | US- PGPUB; USPAT; USOCR; EPO; DERWEN T | 2004/1 1/08 17:52 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|----|------|------|--------------------------------------------------------------------|------------------------------------------------------------------|-------------------------|
| 8 | BRS | 3 | ("4102422").PN. | US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T | 2004/1 1/09 09:06 |
| 9 | BRS | 5 | ("3565195" "3678378" "3782486" "3875481" "3966002").PN. | US- PGPUB; USPAT; USOCR | 2004/1 1/09 09:09 |
| 10 | BRS | 27 | 324/661.ccls. and (pressure adj sens\$3) | US- PGPUB; USPAT; USOCR | 2004/1 1/09 09:10 |
| 11 | BRS | 0 | S10 and (pneumatic adj tire) | US- PGPUB; USPAT; USOCR | 2004/1 1/09 13:09 |
| 12 | BRS | 0 | 324/661.ccls. and (pneumatic adj tire) | US- PGPUB; USPAT; USOCR | 2004/1 1/09 09:18 |
| 13 | BRS | 419 | (pressure adj sens\$3) and (pneumatic adj tire) | US- PGPUB; USPAT; USOCR | 2004/1 1/09 10:23 |
| 14 | BRS | 4 | S13 and "324"/\$.ccls. | US- PGPUB; USPAT; USOCR | 2004/1 1/09 09:13 |
| 15 | BRS | 4 | 324/658-690.ccls. and (tire near3 (pressure force)) | US- PGPUB; USPAT; USOCR | 2004/1 1/09 15:09 |
| 16 | BRS | 2 | ("4495820" "5616844").PN. | US- PGPUB; USPAT; USOCR | 2004/1 1/09 09:24 |
| 17 | BRS | 6 | ("4102422").URPN. | USPAT | 2004/1 1/09 09:35 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|----|------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|-------------------------|
| 18 | BRS | 12 | (US-20030008692-\$).did. or (US-4102422-\$ or US-3966002-\$ or US-3875481-\$ or US-3782486-\$ or US-3678378-\$ or US-3565195-\$ or US-5569848-\$ or US-6606911-\$ or US-4495820-\$ or US-4370697-\$ or US-4266263-\$).did. | US-PGPUB; USPAT | 2004/1 1/09 09:54 |
| 19 | BRS | 0 | S19 and (resistivity with elastomer\$2) | USPAT | 2004/1 1/09 09:56 |
| 20 | BRS | 1 | 324/658-690.ccls. and (resistivity near3 elastomer\$2) | USPAT | 2004/1 1/09 09:59 |
| 21 | BRS | 15 | 324/658-690.ccls. and (resistivity near3 ohm) | USPAT | 2004/1 1/09 10:15 |
| 22 | BRS | 6 | 324/658-690.ccls. and (resistivity near3 (ohm adj cm)) | USPAT | 2004/1 1/09 10:16 |
| 23 | BRS | 6 | 324/658-690.ccls. and (resistivity near3 (ohm adj cm)) | USPAT | 2004/1 1/09 10:16 |
| 24 | BRS | 156 | (pressure adj sens\$3) same (pneumatic adj tire) | US-PGPUB; USPAT; USOCR | 2004/1 1/09 10:23 |
| 25 | BRS | 38 | S25 and (capacit\$4 with (pressure deform\$4)) | US-PGPUB; USPAT; USOCR | 2004/1 1/09 13:10 |
| 26 | BRS | 24 | S26 and "73"/\$.ccls. | US-PGPUB; USPAT; USOCR | 2004/1 1/09 10:25 |
| 27 | BRS | 8 | S27 and elastomer\$3 | US-PGPUB; USPAT; USOCR | 2004/1 1/09 14:35 |
| 28 | BRS | 10 | (filar adj electrode) | US-PGPUB; USPAT; USOCR | 2004/1 1/09 11:21 |
| 29 | BRS | 0 | 324/515,517.ccls. and (filar near3 electrode) | US-PGPUB; USPAT; USOCR | 2004/1 1/09 11:22 |

| | Type | Hits | Search Text | DBs | Time Stamp |
|----|------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|-------------------------|
| 30 | BRS | 5 | 324/515,517.ccls. and (wire adj electrode) | US-PGPUB; USPAT; USOCR | 2004/1 1/09 11:24 |
| 31 | BRS | 3 | 324/515,517.ccls. and (capacit\$4 with (wire near3 electrode)) | US-PGPUB; USPAT; USOCR | 2004/1 1/09 11:26 |
| 32 | BRS | 194 | 324/515,517.ccls. | US-PGPUB; USPAT; USOCR | 2004/1 1/09 11:26 |
| 33 | BRS | 17 | S33 and 324/658-690.ccls. | US-PGPUB; USPAT; USOCR | 2004/1 1/09 11:26 |
| 34 | BRS | 19 | (US-20030008692-\$).did. or (US-4102422-\$ or US-3966002-\$ or US-3875481-\$ or US-3782486-\$ or US-3678378-\$ or US-3565195-\$ or US-5569848-\$ or US-6606911-\$ or US-4495820-\$ or US-4370697-\$ or US-4266263-\$ or US-6658928-\$ or US-6543279-\$ or US-6486776-\$ or US-6369712-\$ or US-5731516-\$ or US-5486768-\$).did. or (US-2689309-\$).did. | US-PGPUB; USPAT; USOCR | 2004/1 1/09 13:09 |
| 35 | BRS | 7 | S35 and (pneumatic adj tire) | US-PGPUB; USPAT; USOCR | 2004/1 1/09 13:10 |
| 36 | BRS | 5 | S36 and (capacit\$4 with (pressure deform\$4)) | US-PGPUB; USPAT; USOCR | 2004/1 1/09 13:13 |
| 37 | BRS | 1 | "4578992".pn. | US-PGPUB; USPAT; USOCR | 2004/1 1/09 13:13 |